

THEORETICAL AND APPLIED GENETICS

International Journal
of Plant Breeding Research

Volume 95 · 1997

Managing Editor

G. Wenzel, Freising

Editorial Board

L. Alföldi, Szeged
H. C. Becker, Göttingen
J. S. Beckmann, Paris
B. S. Gill, Manhattan, KS
Yu. Gleba, Princeton, NJ
K. Glimelius, Uppsala
R. Hagemann, Halle/S.
G. E. Hart, College Station, TX
A. L. Kahler, Brookings, SD
P. Langridge, Glen Osmond, SA
H. F. Linskens, Heidelberg
F. Mechelke, Stuttgart

G. Melchers, Tübingen
R. J. Nelsen, Lima
K. Oono, Sapporo
P. L. Pfahler, Gainesville, FL
I. Potrykus, Zürich
D. R. Pring, Gainesville, FL
M. A. Saghai Maroof,
Blacksburg, VA
F. Salamini, Köln-Vogelsang
J. W. Snape, Norwich
P. M. A. Tigerstedt, Helsinki
L. Willmitzer, Golm



Springer

Founded in 1929 as "Der Züchter", a German journal for theoretical and applied genetics. In 1966 its direction changed from national to international and from plant breeding to genetics and breeding research. The title changed in 1968 to "Theoretical and Applied Genetics". Edited by H. Stubbe from 1946 to 1976, by H. F. Linskens 1977 to 1987 and by G. Wenzel from 1988

TAG will publish original articles in the following areas:

- Genetic and physiological fundamentals of plant breeding
- Applications of plant biotechnology
- Theoretical considerations in combination with experimental data

Copyright

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher; and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Special regulations for photocopies in the USA: Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. All fees should be

paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0040-5752, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

The Canada Institute for Scientific and Technical Information (CISTI) provides a comprehensive, world-wide document delivery service for all Springer-Verlag journals. For more information, or to place an order for a copyright-cleared Springer-Verlag document, please contact Client Assistant, Document Delivery, CISTI, Ottawa K1A 0S2, Canada (Tel: 613-993-9251; Fax: 613-952-8243; e-mail: cisti.docdel@nrc.ca).

Electronic edition. An electronic edition of this journal is available via the LINK Information Service <http://link.springer.de>. You may contact us per e-mail access@link.springer.de or by fax +49-62 21-4 87-2 88. Would you like to automatically receive per e-mail the table of contents with direct links to the respective abstracts as soon as a new issue is available via LINK? Then take advantage of our new, free service LINK Alert. For registration and further information just go to <http://link.springer.de/alert>.

Typesetting

Macmillan India Ltd.

Printing and bookbinding

Graphischer Betrieb K. Triltsch, Würzburg, Germany

© Springer-Verlag
Berlin Heidelberg 1997
Springer-Verlag GmbH & Co. KG,
Berlin, Germany
Printed in Germany



Springer

Table of contents

Volume 95, 1997

- No. 1–2, pp. 1–312 published in July 1997
 No. 3, pp. 313–508 published in August 1997
 No. 4, pp. 509–722 published in September 1997
 No. 5–6, pp. 723–1024 published in October 1997
 No. 7, pp. 1025–1180 published in November 1997
 No. 8, pp. 1181–1334 published in December 1997

- Achenbach LA, Patrick JA, Gray LE:
 Genetic homogeneity among isolates of
Fusarium solani that cause soybean sud-
 den death syndrome 474
- Adkins SW → Magdalita PM
- Allem AC → Roa AC
- Almousslem AB → Bommineni VR
- Alston FH → Manganaris AG
- Anderson OD, Greene FC: The α -gliadin
 gene family. II. DNA and protein
 sequence variation, subfamily structure,
 and origins of pseudogenes 59
- Anderson OD, Litts JC, Greene FC: The α -
 gliadin gene family. I. Characterization
 of ten new wheat α -gliadin genomic
 clones, evidence for limited sequence
 conservation of flanking DNA, and
 Southern analysis of the gene family 50
- Angel F → Fregene M
- Angeles ER → Huang N
- Arcioni S → Calderini O
- Arcioni S → Crea F
- Arias DM → Whitton J
- Arpaia S, Mennella G, Onofaro V, Perri E,
 Sunseri F, Rotino GL: Production of
 transgenic eggplant (*Solanum melongena*
 L.) resistant to Colorado Potato Beetle
 (*Leptinotarsa decemlineata* Say) 329
- Arumuganathan K → Lee J-H
- Ashfaq Farooqui M, Rao AV, Jayasree T,
 Sadanandam A: Induction of atrazine
 resistance and somatic embryogenesis in
Solanum melongena 702
- Asíns MJ → Mestre PF
- Asíns MJ → Monforte AJ
- Bachmann K → Friesen N
- Baenziger PS → Lee J-H
- Bakker J → Rouppe van der Voort J
- Bamberg JB → del Rio AH
- Bar-Hen A → Dillmann C
- Barcaccia G, Mazzucato A, Belardinelli A,
 Pezzotti M, Luccetti S, Falcinelli M:
 Inheritance of parental genomes in
 progenies of *Poa pratensis* L. from sexu-
 al and apomictic genotypes as
 assessed by RAPD markers and flow
 cytometry 516
- Barker H: Extreme resistance to potato
 virus V in clones in *Solanum tuberosum*
 that are also resistant to potato viruses Y
 and A: evidence for a locus conferring
 broad-spectrum potyvirus resistance
 1258
- Barnett RD → Pfahler PL
- Barret P → Chèvre AM
- Baudoin J-P → Maquet A
- Bauer E, Weyen J, Schiemann A, Graner A,
 Ordon F: Molecular mapping of novel
 resistance genes against Barley Mild
 Mosaic Virus (BaMMV) 1263
- Baulcombe DC → Bendahmane A
- Baulcombe DC → de Jong W
- Baurens F-C, Noyer J-L, Lanaud C, Lago-
 da PJL: Assessment of a species-specific
 element (Brep 1) in banana 922
- Bebeli PJ → Zhou Z
- Bebeli PJ, Zhou Z, Somers DJ, Gustafson
 JP: PCR primed with minisatellite core
 sequences yields DNA fingerprinting
 probes in wheat 276
- Beck-Bunn T → Fulton TM
- Bedecarrats A → Gauthier P
- Begu D → Kurek I
- Beiles A → Kato K
- Belardinelli A → Barcaccia G
- Bendahmane A, Kanyuka K, Baulcombe
 DC: High-resolution genetical and physi-
 cal mapping of the *Rx* gene for extreme
 resistance to potato virus X in tetraploid
 potato 153
- Bendahmane A → Rouppe van der Voort J
- Benito C → Gallego FJ
- Bennett J → Huang N
- Berger A → Leister D
- Bernardo R: RFLP markers and predicted
 testcross performance of maize sister
 inbreds 655
- Bernatzky R → Chawla B
- Bezděk M → Kovařík A
- Bhattacharya AK → Verulkar SB
- Blair MW, McCouch SR: Microsatellite
 and sequence-tagged site markers diag-
 nostic for the rice bacterial leaf blight
 resistance gene *xa-5* 174
- Blanchard P → Rebaï A
- Boerma HR → Tamulonis JP
- Bommineni VR, Jauhar PP, Peterson TS,
 Chibbar RN, Almousslem AB: Analysis
 of hybrids of durum wheat with *Thinop-
 yrum junceiforme* using RAPD markers
 757
- Bones AM → Nielsen KM
- Bonierbale M → Fregene M
- Bonierbale MW → Roa AC
- Bonnet A → Lecouls AC
- Boonkrong S → Wongkaew P
- Börner A → Korzun V
- Börner A, Röder M, Korzun V: Comparative
 molecular mapping of GA insensitive *Rht*
 loci on chromosomes 4B and 4D of com-
 mon wheat (*Triticum aestivum* L.) 1133
- Brabant P → David JL
- Bramucci M → Gaiotto FA
- Breiman A → Kurek I
- Bretting PK → Cronn R
- Brewbaker JL → Ming R
- Brothers M → Cronn R
- Brown GG → Jean M
- Brown GR, Carlson JE: Molecular cyto-
 genetics of the genes encoding 18S-5.8S-
 26S rRNA and 5S rRNA in two species of
 spruce (*Picea*) 1
- Brun H → Chèvre AM
- Bucci G, Kubisiak TL, Nance WL, Menoz-
 zi P: A population 'consensus', partial
 linkage map of *Picea abies* Karst. based
 on RAPD markers 643
- Bucci G, Vendramin GG, Lelli L, Vicario
 F: Assessing the genetic divergence of
Pinus leucodermis Ant. endangered pop-
 ulations: use of molecular markers for
 conservation purposes 1138
- Byrne M, Murrell JC, Owen JV, Williams
 ER, Moran GF: Mapping of quantitative
 trait loci influencing frost tolerance in
Eucalyptus nitens 975
- Cai X, Jones S: Direct evidence for high
 level of autosyndetic pairing in hybrids
 of *Thinopyrum intermedium* and *Th. pon-
 ticum* with *Triticum aestivum* 568
- Calderini O → Crea F
- Calderini O, Pupilli F, Paolocci F, Arcioni
 S: A repetitive and species-specific
 sequence as a tool for detecting the
 genome contribution in somatic hybrids
 of the genus *Medicago* 734
- Caligari PDS → Ur-Rahman H
- Cappadocia M → Cloutier S
- Carbonell EA → Mestre PF
- Carbonell EA → Monforte AJ
- Cardi T → Conicella C
- Cardin ML → David JL
- Cardona C → Hartweck LM
- Carlson JE → Brown GR
- Carrillo JM → Nieto-Taladriz MT
- Ceccarelli S → Singh M
- Cerna FJ, Cianzio SR, Rafalski A, Tingey
 S, Dyer D: Relationship between seed
 yield heterosis and molecular marker
 heterozygosity in soybean 460

- Chagué V, Mercier JC, Guénard M, Courcel A de, Vedel F: Identification of RAPD markers linked to a locus involved in quantitative resistance to TYLCV in tomato by bulked segregant analysis 671
- Champagne G → Cheung WY
- Chan KF, Sun M: Genetic diversity and relationships detected by isozyme and RAPD analysis of crop and wild species of *Amaranthus* 865
- Charcosset A → Dillmann C
- Charcosset A → Hospital F
- Charne D → Cheung WY
- Chase CD → Kamps TL
- Chavarriaga P → Fregene M
- Chawla B, Bernatzky R, Liang W, Marcotrigiano M: Breakdown of self-incompatibility in tetraploid *Lycopersicon peruvianum*: inheritance and expression of S-related proteins 992
- Chen GL → Shi CH
- Chen L-F O, Kuo H-Y, Chen M-H, Lai K-N, Chen S-C G: Reproducibility of the differential amplification between leaf and root DNAs in soybean revealed by RAPD markers 1033
- Chen M-H → Chen L-F O
- Chen PD → Qi LL
- Chen S-C G → Chen L-F O
- Chen X, Temnykh S, Xu Y, Cho YG, McCouch SR: Development of a micro-satellite framework map providing genome-wide coverage in rice (*Oryza sativa* L.) 553
- Cheung WY, Champagne G, Hubert N, Tulsieram L, Charne D, Patel J, Landry BS: Conservation of S-locus for self-incompatibility in *Brassica napus* (L.) and *Brassica oleracea* (L.) 73
- Chèvre AM, Barret P, Eber F, Dupuy P, Brun H, Tanguy X, Renard M: Selection of stable *Brassica napus*-*B. juncea* recombinant lines resistant to blackleg (*Leptosphaeria maculans*). 1. Identification of molecular markers, chromosomal and genomic origin of the introgression 1104
- Chibbar RN → Bommineni VR
- Chin ECL → Smith JSC
- Cho YG → Chen X
- Chosai C → Wongkaew P
- Chowdari KV → Rajebhosale MD
- Chunwongse J, Doganlar S, Crossman C, Jiang J, Tanksley SD: High-resolution genetic map of the *Lv* resistance locus in tomato 220
- Cianzio SR → Cerna FJ
- Cloutier S, Cappadocia M, Landry BS: Analysis of RFLP mapping inaccuracy in *Brassica napus* L. 83
- Cluster PD → Crea F
- Coe E → Khavkin E
- Collins GG → Maguire TL
- Conicella C, Genuardo G, Lucia R, Ramulu KS, Cardi T: Early tapetal degeneration and meiotic defects are involved in the male sterility of *Solanum commersonii* (+) *S. tuberosum* somatic hybrids 609
- Conran JG → Maguire TL
- Costa P → Verhaegen D
- Courcel A de → Chagué V
- Couvet D → Noirot M
- Craenen K, Ortiz R: Effect of the *bs₁* gene in plantain-banana hybrids on response to black sigatoka 497
- Crea F, Calderini O, Nenz E, Cluster PD, Damiani F, Arcioni S: Chromosomal and molecular rearrangements in somatic hybrids between tetraploid *Medicago sativa* and diploid *Medicago falcata* 1112
- Cregan PB → Diwan N
- Cregan PB → Sharon D
- Cronn R, Brothers M, Klier K, Bretting PK, Wendel JF: Allozyme variation in domesticated annual sunflower and its wild relatives 532
- Crossman C → Chunwongse J
- Crouzillat D → Lerceteau E
- Damak S → Wongkaew P
- Damiani F → Crea F
- Dargatz H → Michalek W
- David JL, Zivy M, Cardin ML, Brabant P: Protein evolution in dynamically managed populations of wheat: adaptive responses to macro-environmental conditions 932
- Davis DW → Jellen EN
- de Block M, Debrouwer D, Moens T: The development of a nuclear male sterility system in wheat. Expression of the *bar-nase* gene under the control of tapetum specific promoters 125
- de Jong W, Forsyth A, Leister D, Gebhardt C, Baulcombe DC: A potato hypersensitive resistance gene against potato virus X maps to a resistance gene cluster on chromosome 5 246
- Dean RA → Wang Y-H
- Debrouwer D → de Block M
- del Rio AH, Bamberg JB, Huaman Z: Assessing changes in the genetic diversity of potato gene banks. 1. Effects of seed increase 191
- del Rio AH, Bamberg JB, Huaman Z, Salas A, Vega SE: Assessing changes in the genetic diversity of potato gene banks. 2. In situ vs ex situ 199
- Delorme V, Keen CL, Rai KN, Leaver CJ: Cytoplasmic-nuclear male sterility in pearl millet: comparative RFLP and transcript analyses of isonuclear male-sterile lines 961
- Delvaux M → Maquet A
- Devey ME → Emebiri LC
- Dillmann C, Bar-Hen A, Guérin D, Charcosset A, Murigneux A: Comparison of RFLP and morphological distances between maize *Zea mays* L. inbred lines. Consequences for germplasm protection purposes 92
- Diwan N, Cregan PB: Automated sizing of fluorescent-labeled simple sequence repeat (SSR) markers to assay genetic variation in soybean 723
- Doganlar S → Chunwongse J
- Domingo J → Huang N
- Domon E → Fukunaga K
- D'Ovidio R, Simeone M, Masci S, Porceddu E: Molecular characterization of a LMW-GS gene located on chromosome 1B and the development of primers specific for the *Glu-B3* complex locus in durum wheat 1119
- Drew RA → Magdalita PM
- Dubcovsky J, Echaide M, Giancola S, Rousset M, Luo MC, Joppa LR, Dvorak J: Seed-storage-protein loci in RFLP maps of diploid, tetraploid, and hexaploid wheat 1169
- Dubouzet JG, Shinoda K, Murata N: Phylogeny of *Allium* L. subgenus *Rhizirideum* (G. Don ex Koch) Wendelbo according to dot blot hybridization with randomly amplified DNA probes 1223
- Dupuy P → Chèvre AM
- Duque MC → Roa AC
- Dvorak J → Dubcovsky J
- Dyer D → Cerna FJ
- Eber F → Chèvre AM
- Ebert I → Roth R
- Echaide M → Dubcovsky J
- Ejeta G → Tuinstra MR
- Elsas van JD → Nielsen KM
- Elsen JM, Knott S, Le Roy P, Haley CS: Comparison between some approximate maximum-likelihood methods for quantitative trait locus detection in progeny test designs 236
- Emebiri LC, Devey ME, Matheson AC, Slee MU: Linkage of RAPD markers to NESTUR, a stem growth index in radiata pine seedlings 119
- Emmatty D → Fulton TM
- Erel N → Kurek I
- Eshed Y → Fulton TM
- Esmenjaud D → Lecouls AC
- Ezra D → Kurek I
- Fahima T → Sun GL
- Falcinelli M → Barcaccia G
- Fang DQ, Roose ML: Identification of closely related citrus cultivars with inter-simple sequence repeat markers 408
- Fang DQ, Roose ML, Krueger RR, Federici CT: Fingerprinting trifoliate orange germ plasm accessions with isozymes, RFLPs, and inter-simple sequence repeat markers 211
- Farman ML → Nitta N
- Federici CT → Fang DQ
- Ferrario S → Taramino G
- Folkertsma R → Rouppe van der Voort J
- Forsyth A → de Jong W
- Fox SL → Jellen EN
- Fregene M, Angel F, Gomez R, Rodriguez F, Chavarriaga P, Roca W, Tohme J, Bonierbale M: A molecular genetic map of cassava (*Manihot esculenta* Crantz) 431
- Frew TJ → Gilpin BJ
- Friebe B → Qi LL
- Friedt W → Snowdon RJ

- Friesen N, Fritsch R, Bachmann K: Hybrid origin of some ornamentals of *Allium* subgenus *Melanocrommyum* verified with GISH and RAPD 1229
- Fritsch R → Friesen N
- Fukui K, Shishido R, Kinoshita T: Identification of the rice D-genome chromosomes by genomic *in situ* hybridisation 1239
- Fukunaga K, Domon E, Kawase M: Ribosomal DNA variation in foxtail millet, *Setaria italica* (L.) P. Beauv., and a survey of variation from Europe and Asia 751
- Fuller JD → Russell JR
- Fulton TM, Beck-Bunn T, Emmatty D, Eshed Y, Lopez J, Petiard V, Uhlig J, Zamir D, Tanksley SD: QTL analysis of an advanced backcross of *Lycopersicon peruvianum* to the cultivated tomato and comparisons with QTLs found in other wild species 881
- Fulton TM, Nelson JC, Tanksley SD: Introgression and DNA marker analysis of *Lycopersicon peruvianum*, a wild relative of the cultivated tomato, into *Lycopersicon esculentum*, followed through three successive backcross generations 895
- Gaiotto FA, Bramucci M, Grattapaglia D: Estimation of outcrossing rate in a breeding population of *Eucalyptus urophylla* with dominant RAPD and AFLP markers 842
- Galiba G, Kerepesi I, Snape JW, Sutka J: Location of a gene regulating cold-induced carbohydrate production on chromosome 5A of wheat 265
- Gallais A → Hospital F
- Gallego FJ, Benito C: Genetic control of aluminium tolerance in rye (*Secale cereale* L.) 393
- Gamborg OL → Sathish P
- Gauthier P, Lumaret R, Bedecarrats A: Chloroplast-DNA variation in the genus *Lotus* (Fabaceae) and further evidence regarding the maternal parentage of *Lotus corniculatus* L. 629
- Gebhard F → Nielsen KM
- Gebhardt C → de Jong W
- Gebhardt C → Leister D
- Gentzbittel I → Vear F
- Genuardo G → Conicella C
- Gepts P → Menéndez CM
- Geuna F, Hartings H, Scienza A: Discrimination between cultivars of *Vitis vinifera* based on molecular variability concerning 5' untranslated regions of the *StSy-CHS* genes 375
- Giancola S → Dubcovsky J
- Giddings G, Mytton L, Griffiths M, McCarthy A, Morgan C, Skøt L: A secondary effect of transformation in *Rhizobium leguminosarum* transgenic for *Bacillus thuringiensis* subspecies *tenebrionis* δ -endotoxin (*cryIIIA*) genes 1062
- Gill BS → Jellen EN
- Gill BS → Qi LL
- Gilpin BJ, McCallum JA, Frew TJ, Timmerman-Vaughan GM: A linkage map of the pea (*Pisum sativum* L.) genome containing cloned sequences of known function and expressed sequence tags (ESTs) 1289
- Gion JM → Verhaegen D
- Giovannoni JJ → Yen HC
- Giroux MJ, Morris CF: A glycine to serine change in puroindoline b is associated with wheat grain hardness and low levels of starch-surface friabilin 857
- Gnanamanickam SS → Rajebhosale MD
- Godwin ID → Magdalita PM
- Goldsbrough PB → Tuinstra MR
- Gomez R → Fregene M
- Gopal J: Progeny selection for agronomic characters in early generations of a potato breeding programme 307
- Gram A → Sun GL
- Grando S → Singh M
- Graner A → Bauer E
- Grattapaglia D → Gaiotto FA
- Gray LE → Achenbach LA
- Greene FC → Anderson OD
- Griffiths M → Giddings G
- Grumet R → Kabelka E
- Guénard M → Chagué V
- Guérin D → Dillmann C
- Gupta VS → Rajebhosale MD
- Gustafson JP → Bebeli PJ
- Gustafson JP → Zhou Z
- Hadonou AM → Ur-Rahman H
- Haley CS → Elsen JM
- Hall AE → Menéndez CM
- Hamon S → Noirot M
- Han F, Ullrich SE, Kleinhofs A, Jones BL, Hayes PM, Wesenberg DM: Fine structure mapping of the barley chromosome-1 centromere region containing malting-quality QTLs 903
- Hanada K → Hisatomi Y
- Hanboonsong Y → Wongkaew P
- Hartings H → Geuna F
- Hartweck LM, Cardona C, Osborn TC: Bruchid resistance of common bean lines having an altered seed protein composition 1018
- Hartweck LM, Osborn TC: Altering protein composition by genetically removing phaseolin from common bean seeds containing arcelin or phytohemagglutinin 1012
- Harushima Y → Yano M
- Hatz BG → Russell JR
- Hayes PM → Han F
- Hayward MD → Ortiz JPA
- He S → Jia MH
- Hillel J → Sharon D
- Hisatomi Y, Hanada K, Iida S: The retrotransposon *RTip1* is integrated into a novel type of minisatellite, *MiniSip1*, in the genome of the common morning glory and carries another new type of minisatellite, *MiniSip2* 1049
- Hisatomi Y, Yoneda Y, Kasahara K, Inagaki Y, Iida S: DNA rearrangements at the region of the dihydroflavonol 4-reductase gene for flower pigmentation and incomplete dominance in morning glory carrying the mutable *flaked* mutation 509
- Hittalmani S → Zhuang J-Y
- Hongtrakul V, Huestis GM, Knapp SJ: Amplified fragment length polymorphisms as a tool for DNA fingerprinting sunflower germplasm: genetic diversity among oilseed inbred lines 400
- Hontelez J → Liharska TB
- Hoogendoorn J → Janssen GJW
- Hospital F, Moreau L, Lacoudre F, Charcosset A, Gallais A: More on the efficiency of marker-assisted selection 1181
- Howard LR → Yen HC
- Hsam SLK → Huang X Q
- Huaman Z → del Rio AH
- Huang N, Angeles ER, Domingo J, Magpantay G, Singh S, Zhang G, Kumaraivadivel N, Bennett J, Khush GS: Pyramiding of bacterial blight resistance genes in rice: marker-assisted selection using RFLP and PCR 313
- Huang N → Yang D
- Huang N → Zhuang J-Y
- Huang X Q, Hsam SLK, Zeller FJ: Chromosomal location of genes for resistance to powdery mildew in common wheat (*Triticum aestivum* L. em. Thell.) 4. Gene *Pm24* in Chinese landrace Chiya-cao 950
- Huang Y → Raja RG
- Hubert N → Cheung WY
- Huestis GM → Hongtrakul V
- Hussain SW, Williams WM: Development of a fertile genetic bridge between *Trifolium ambiguum* M. Bieb. and *T. repens* L. 678
- Hussain SW, Williams WM, Mercer CF, White DWR: Transfer of clover cyst nematode resistance from *Trifolium nigrescens* Viv. to *T. repens* L. by interspecific hybridisation 1274
- Hussey RS → Tamulonis JP
- Hutten R → Rouppe van der Voort J
- Iida S → Hisatomi Y
- Inagaki Y → Hisatomi Y
- Jacobsen E → Metz PLJ
- Jacobsen E → Rouppe van der Voort J
- Jacquemin JM → Mingeot D
- Jahoor A → Michalek W
- Jahoor A → Russell JR
- James DJ → Ur-Rahman H
- Janse BJH → Prins R
- Janssen GJW, van Norel A, Verkerk-Bakker B, Janssen R, Hoogendoorn J: Introgression of resistance to root-knot nematodes from wild Central American *Solanum* species into *S. tuberosum* ssp. *tuberosum* 490
- Janssen R → Janssen GJW
- Janssen R → Rouppe van der Voort J
- Jauhar PP → Bommineni VR
- Jayasree T → Ashfaq Farooqui M

- Jean M, Brown GG, Landry BS: Genetic mapping of nuclear fertility restorer genes for the 'Polima' cytoplasmic male sterility in canola (*Brassica napus* L.) using DNA markers 321
- Jellen EN, Rines HW, Fox SL, Davis DW, Phillips RL, Gill BS: Characterization of 'Sun II' oat monosomics through C-banding and identification of eight new 'Sun II' monosomics 1190
- Jia MH, He S, Vanhouten W, Mackenzie S: Nuclear fertility restorer genes map to the same linkage group in cytoplasmic male-sterile bean 205
- Jiang J → Chunwongse J
- Jones BL → Han F
- Jones S → Cai X
- Joppa LR → Dubcovsky J
- Joshi CP, Klueva NY, Morrow KJ, Nguyen HT: Expression of a unique plastid-localized heat-shock protein is genetically linked to acquired thermotolerance in wheat 834
- Jung C → Schondelmaier J
- Kabelka E, Ullah Z, Grumet R: Multiple alleles for zucchini yellow mosaic virus resistance at the *zym* locus in cucumber 997
- Kaeppler SM: Power analysis for quantitative trait locus mapping in populations derived by multiple backcrosses 618
- Kaeppler SM: Quantitative trait locus mapping using sets of near-isogenic lines: relative power comparisons and technical considerations 384
- Kameya T → Kanno A
- Kammen van A → Liharska TB
- Kamps TL, Chase CD: RFLP mapping of the maize gametophytic restorer-of-fertility locus (*rf3*) and aberrant pollen transmission of the nonrestoring *rf3* allele 525
- Kanno A, Lee Y-O, Kameya T: The structure of the chloroplast genome in members of the genus *Asparagus* 1196
- Kanyuka K → Bendahmane A
- Kanyuka K → Rouppe van der Voort J
- Kasahara K → Hisatomi Y
- Kato K, Mori Y, Beiles A, Nevo E: Geographical variation in heading traits in wild emmer wheat, *Triticum dicoccoides*. I. Variation in vernalization response and ecological differentiation 546
- Kawasaki S → Komatsuda T
- Kawase M → Fukunaga K
- Keen CL → Delorme V
- Kerepesi I → Galiba G
- Khavkin E, Coe E: Mapped genomic locations for developmental functions and QTLs reflect concerted groups in maize (*Zea mays* L.) 343
- Khush GS → Huang N
- Kinoshita T → Fukui K
- Kinoshita T → Rahman SM
- Kishima Y, Yamashita S, Mikami T: Immobilized copies with a nearly intact structure of the transposon Tam3 in *Antirrhinum majus*: implications for the *cis*-element related to the transposition 1246
- Kitchareonpanya R → Wongkaew P
- Kleine M → Michalek W
- Kleinhofs A → Han F
- Klier K → Cronn R
- Klueva NY → Joshi CP
- Knapp SJ → Hongtrakul V
- Knott S → Elsen JM
- Köhler A → Snowdon RJ
- Köhler W → Snowdon RJ
- Komatsuda T, Kawasaki S, Nakamura I, Takaiwa F, Taguchi-Shiobara F, Oka S: Identification of random amplified polymorphic DNA (RAPD) markers linked to the *v* locus in barley, *Hordeum vulgare* L. 637
- Komatsuda T → Taguchi-Shiobara F
- Koornneef M → Liharska TB
- Korol AB → Sun GL
- Korzun V → Börner A
- Korzun V, Malyshev S, Voylovkov A, Börner A: RFLP-based mapping of three mutant loci in rye (*Secale cereale* L.) and their relation to homoeologous loci within the *Gramineae* 468
- Koukalová B → Kovařík A
- Kovařík A, Koukalová B, Bezděk M, Opatrný Z: Hypermethylation of tobacco heterochromatic loci in response to osmotic stress 301
- Kremer A → Verhaegen D
- Kresovich S → Smith JSC
- Krueger RR → Fang DQ
- Kubisiak TL → Bucci G
- Kuittinen H, Sillanpää MJ, Savolainen O: Genetic basis of adaptation: flowering time in *Arabidopsis thaliana* 573
- Kumar A → Mohan M
- Kumaravadevel N → Huang N
- Kuo H-Y → Chen L-F O
- Kurata N → Yano M
- Kurek I, Ezra D, Begu D, Erel N, Litvak S, Breiman A: Studies on the effects of nuclear background and tissue specificity on RNA editing of the mitochondrial ATP synthase subunits α , 6 and 9 in fertile and cytoplasmic male-sterile (CMS) wheat 1305
- Kusaba M → Nishio T
- Kusharska M → Sharon D
- Lacoudre F → Hospital F
- Ladizinsky G: Dwarfing genes in the genus *Lens* Mill. 1270
- Lagoda PJJ → Baurens F-C
- Lahav E → Sharon D
- Lai K-N → Chen L-F O
- Lanaud C → Baurens F-C
- Landry BS → Cheung WY
- Landry BS → Cloutier S
- Landry BS → Jean M
- Lavi U → Sharon D
- Le Roy P → Elsen JM
- Leaver CJ → Delorme V
- Leblanc O → Ortiz JPA
- Lecouls AC, Salesses G, Minot JC, Voisin R, Bonnet A, Esmenjaud D: Spectrum of the *Ma* genes for resistance to *Meloidogyne* spp. in Myrobalan plum 1325
- Lee J-H, Yen Y, Arumuganathan K, Baenziger PS: DNA content of wheat monosomics at interphase estimated by flow cytometry 1300
- Lee M → Taramino G
- Lee S → Yen HC
- Lee Y-O → Kanno A
- Lehmann W → Leister D
- Leister D, Berger A, Thelen H, Lehmann W, Salamini F, Gebhardt C: Construction of a potato YAC library and identification of clones linked to the disease resistance loci *R1* and *Grol* 954
- Leister D → de Jong W
- Lelli L → Bucci G
- Leong SA → Nitta N
- Lerceteau E, Robert T, Pétiard V, Crouzillat D: Evaluation of the extent of genetic variability among *Theobroma cacao* accessions using RAPD and RFLP markers 10
- Li HB → Liu KD
- Li HB, Wang J, Liu AM, Liu KD, Zhang Q, Zou JS: Genetic basis of low-temperature-sensitive sterility in indica-japonica hybrids of rice as determined by RFLP analysis 1092
- Li XH → Liu KD
- Liang W → Chawla B
- Liharska TB, Hontelez J, Kammen van A, Zabel P, Koornneef M: Molecular mapping around the centromere of tomato chromosome 6 using irradiation-induced deletions 969
- Lin H-X → Zhuang J-Y
- Lin SY → Taguchi-Shiobara F
- Lindgren D → Zheng YQ
- Litts JC → Anderson OD
- Litvak S → Kurek I
- Liu AM → Li HB
- Liu AM → Liu KD
- Liu DJ → Qi LL
- Liu KD → Li HB
- Liu KD, Wang J, Li HB, Xu CG, Liu AM, Li XH, Zhang Q: A genome-wide analysis of wide compatibility in rice and the precise location of the *S₅* locus in the molecular map 809
- Liu KD → Zhang Q
- Lopez J → Fulton TM
- Lu J → Zhuang J-Y
- Lucia R → Conicella C
- Lucretti S → Barcaccia G
- Lumaret R → Gauthier P
- Luo MC → Dubcovsky J
- Luzzi BM → Tamulonis JP
- Macaulay M → Russell JR
- Mackenzie S → Jia MH
- Magdalita PM, Drew RA, Adkins SW, Godwin ID: Morphological, molecular and cytological analyses of *Carica papaya* × *C. cauliflora* interspecific hybrids 224
- Magpantay G → Huang N
- Maguire TL, Conran JG, Collins GG, Sedgley M: Molecular analysis of interspecific and intergeneric relationships of *Banksia* using RAPDs and non-coding chloroplast DNA sequences 253

- Malvar RA → Revilla P
 Malyshev S → Korzun V
 Manganaris AG, Alston FH: Genetics of superoxide dismutase in apple 484
 Maquet A, Zoro Bi I, Delvaux M, Wathélet B, Baudoin J-P: Genetic structure of a Lima bean base collection using allozyme markers 980
 Marais AS → Prins R
 Marais GF → Prins R
 Marchetti S → Vischi M
 Marcotrigiano M → Chawla B
 Martínez MC → Nieto-Taladriz MT
 Masci S → D'Ovidio R
 Matheson AC → Emebiri LC
 Maya MM → Roa AC
 Mazzella C → Pillay M
 Mazzucato A → Barcaccia G
 McCallum JA → Gilpin BJ
 McCarthy A → Giddings G
 McCouch SR → Blair MW
 McCouch SR → Chen X
 McMullen MD → Ming R
 Menéndez CM, Hall AE, Gepts P: A genetic linkage map of cowpea (*Vigna unguiculata*) developed from a cross between two inbred, domesticated lines 1210
 Mennella G → Arpaia S
 Menozzi P → Bucci G
 Mercer CF → Hussain SW
 Mercier JC → Chagué V
 Mestre PF, Asíns MJ, Carbonell EA, Navarro L: New gene(s) involved in the resistance of *Poncirus trifoliata* (L.) Raf. to citrus tristeza virus 691
 Mestre PF, Asíns MJ, Pina JA, Navarro L: Efficient search for new resistant genotypes to the citrus tristeza closterovirus in the orange subfamily Aurantioideae 1282
 Mestries E → Vear F
 Metz PLJ, Jacobsen E, Nap JP, Pereira A, Stiekema WJ: The impact on biosafety of the phosphinothricin-tolerance transgene in inter-specific *B. rapa* × *B. napus* hybrids and their successive backcrosses 442
 Mhameed S → Sharon D
 Michalek W, Kleine M, Dargatz H, Wenzel G, Jahoor A: Stability of *Hor1*-specific YAC-clones and physical mapping of *Hor1*-loci in barley 369
 Mikami T → Kishima Y
 Milach SCK, Rines HW, Phillips RL: Molecular genetic mapping of dwarfing genes in oat 783
 Ming R, Brewbaker JL, Pratt RC, Musket TA, McMullen MD: Molecular mapping of a major gene conferring resistance to maize mosaic virus 271
 Mingot D, Jacquemin JM: A wheat cDNA coding for a thaumatin-like protein reveals a high level of RFLP in wheat 822
 Minobe Y → Yano M
 Minot JC → Lecouls AC
 Mitchell SE → Smith JSC
 Mochizuki K → Motohashi R
 Moens T → de Block M
 Mohan M, Sathyanarayanan PV, Kumar A, Srivastava MN, Nair S: Molecular mapping of a resistance-specific PCR-based marker linked to a gall midge resistance gene (*Gm4t*) in rice 777
 Monforte AJ, Asíns MJ, Carbonell EA: Salt tolerance in *Lycopersicon* species. V. Does genetic variability at quantitative trait loci affect their analysis? 284
 Monforte AJ, Asíns MJ, Carbonell EA: Salt tolerance in *Lycopersicon* species VI. Genotype-by-salinity interaction in quantitative trait loci detection: constitutive and response QTLs 706
 Moran GF → Byrne M
 Moreau L → Hospital F
 Morgan C → Giddings G
 Mori Y → Kato K
 Morris CF → Giroux MJ
 Morrow KJ → Joshi CP
 Motohashi R, Mochizuki K, Ohtsubo H, Ohtsubo E: Structures and distribution of *p-SINE1* members in rice genomes 359
 Mouzeyar S → Vear F
 Murata N → Dubouzet JG
 Murigneux A → Dillmann C
 Murrell JC → Byrne M
 Musket TA → Ming R
 Mytton L → Giddings G
 Nabors MW → Sathish P
 Nagamura Y → Yano M
 Nair S → Mohan M
 Nakamura I → Komatsuda T
 Nance WL → Bucci G
 Nandi S → Yang D
 Nap JP → Metz PLJ
 Nath P → Sane AP
 Navarro L → Mestre PF
 Nelson JC → Fulton TM
 Nenz E → Crea F
 Nevo E → Kato K
 Nevo E → Sun GL
 Nguyen HT → Joshi CP
 Nicolas P → Vear F
 Nielsen KM, Gebhard F, Smalla K, Bones AM, Elsas van JD: Evaluation of possible horizontal gene transfer from transgenic plants to the soil bacterium *Acinetobacter calcoaceticus* BD413 815
 Nieto-Taladriz MT, Ruiz M, Martínez MC, Vázquez JF, Carrillo JM: Variation and classification of B low-molecular-weight glutenin subunit alleles in durum wheat 1155
 Nishio T, Kusaba M, Sakamoto K, Ockendon DJ: Polymorphism of the kinase domain of the S-locus receptor kinase gene (*SRK*) in *Brassica oleracea* L. 335
 Nitta N, Farman ML, Leong SA: Genome organization of *Magnaporthe grisea*: integration of genetic maps, clustering of transposable elements and identification of genome duplications and rearrangements 20
 Noirot M, Couvet D, Hamon S: Main role of self-pollination rate on reproductive allocations in pseudogamous apomicts 479
 Noyer J-L → Baurens F-C
 Nyman M, Waara S: Characterisation of somatic hybrids between *Solanum tuberosum* and its frost-tolerant relative *Solanum commersonii* 1127
 Ocampo B → Singh KB
 Ockendon DJ → Nishio T
 Ohtsubo E → Motohashi R
 Ohtsubo H → Motohashi R
 Oka S → Komatsuda T
 Oka S → Taguchi-Shiobara F
 Onofaro V → Arpaia S
 Opatrný Z → Kovařík A
 Ordás A → Revilla P
 Ordon F → Bauer E
 Ortiz JPA, Pessino SC, Leblanc O, Hayward MD, Quarín CL: Genetic fingerprinting for determining the mode of reproduction in *Paspalum notatum*, a subtropical apomictic forage grass 850
 Ortiz R → Craenen K
 Osborn TC → Hartweck LM
 Owen JV → Byrne M
 Paolucci F → Calderini O
 Parco A → Yang D
 Parrott WA → Tamulonis JP
 Patel J → Cheung WY
 Patrick JA → Achenbach LA
 Pe' ME → Taramino G
 Pereira A → Metz PLJ
 Pereira MJ → Pfahler PL
 Perret D → Rebaï A
 Perri E → Arpaia S
 Pessino SC → Ortiz JPA
 Peterson TS → Bommineni VR
 Petiard V → Fulton TM
 Pétiard V → Lercetean E
 Pezzotti M → Barcaccia G
 Pfahler PL, Pereira MJ, Barnett RD: Genetic variation for *in vitro* sesame pollen germination and tube growth 1218
 Philippon J → Vear F
 Phillips RL → Jellen EN
 Phillips RL → Milach SCK
 Pillay M, Mazzella C: Chloroplast genome differences between *Paspalum dilatatum* Poir and the related species *P. notatum* Flugge 696
 Pina JA → Mestre PF
 Plomion C → Verhaegen D
 Poitel M → Verhaegen D
 Porceddu E → D'Ovidio R
 Powell W → Russell JR
 Pratt RC → Ming R
 Pretorius ZA → Prins R
 Price AH, Tomos AD: Genetic dissection of root growth in rice (*Oryza sativa* L.). II. mapping quantitative trait loci using molecular markers 143
 Price AH, Tomos AD, Virk DS: Genetic dissection of root growth in rice (*Oryza sativa* L.) I: a hydroponic screen 132
 Price AH, Tomos AD, Virk DS: Genetic dissection of root growth in rice (*Oryza sativa* L.) 1: a hydroponic screen 95:132-142 (1997) 1024

- Prins R, Marais GF, Pretorius ZA, Janse BJH, Marais AS: A study of modified forms of the *Lr19* translocation of common wheat 424
- Pupilli F → Calderini O
- Qi LL, Wang SL, Chen PD, Liu DJ, Friebe B, Gill BS: Molecular cytogenetic analysis of *Leymus racemosus* chromosomes added to wheat 1084
- Qi X → Schut JW
- Qian H-R → Zhuang J-Y
- Quarín CL → Ortiz JPA
- Rafalski A → Cerna FJ
- Rahman SM, Takagi Y, Kinoshita T: Genetic control of high stearic acid content in seed oil of two soybean mutants 772
- Rai KN → Delorme V
- Raja RG, Tauer CG, Wittwer RF, Huang Y: Segregation and linkage relationships of isoenzymes in shortleaf pine (*Pinus echinata* Mill.) 1252
- Rajebhosale MD, Chowdari KV, Ramakrishna W, Tamhankar SA, Gupta VS, Gnanamanickam SS, Ranjekar PK: DNA fingerprinting of Indian isolates of *Xanthomonas oryzae* pv. *oryzae* 103
- Ramakrishna W → Rajebhosale MD
- Ramulu KS → Conicella C
- Ranade SA → Sane AP
- Ranjekar PK → Rajebhosale MD
- Rao AV → Ashfaq Farooqui M
- Rasmussen JO, Waara S, Rasmussen OS: Regeneration and analysis of interspecific asymmetric potato – *Solanum* ssp hybrid plants selected by micromanipulation or fluorescence-activated cell sorting (FACS) 41
- Rasmussen OS → Rasmussen JO
- Rebai A, Blanchard P, Perret D, Vincourt P: Mapping quantitative trait loci controlling silking date in a diallel cross among four lines of maize 451
- Renard M → Chèvre AM
- Revilla P, Vales MI, Malvar RA, Ordás A: Allozyme frequencies, heterozygosity and genetic distances following S_1 recurrent selection in two synthetic maize populations 1057
- Rieseberg LH → Whitton J
- Rines HW → Jellen EN
- Rines HW → Milach SCK
- Roa AC, Maya MM, Duque MC, Tohme J, Allem AC, Bonierbale MW: AFLP analysis of relationships among cassava and other *Manihot* species 741
- Robert T → Lerceteau E
- Roca W → Fregene M
- Röder M → Börner A
- Rodriguez F → Fregene M
- Roeckel-Drevet P → Vear F
- Ronin YI → Sun GL
- Roose ML → Fang DQ
- Rosvall O → Zheng YQ
- Roth R, Ebert I, Schmidt J: Trisomy associated with loss of maturation capacity in a long-term embryogenic culture of *Abies alba* 353
- Rotino GL → Arpaia S
- Roupe van der Voort J, Wolters P, Folkertsma R, Hutten R, Zandvoort van P, Vinke H, Kanyuka K, Bendahmane A, Jacobsen E, Janssen R, Bakker J: Mapping of the cyst nematode resistance locus *Gpa2* in potato using a strategy based on comigrating AFLP markers 874
- Rousset M → Dubcovsky J
- Ruiz M → Nieto-Taladriz MT
- Russell JR, Fuller JD, Macaulay M, Hatz BG, Jahoor A, Powell W, Waugh R: Direct comparison of levels of genetic variation among barley accessions detected by RFLPs, AFLPs, SSRs and RAPDs 714
- Sadanandam A → Ashfaq Farooqui M
- Saghai Maroof MA → Zhang Q
- Sakamoto K → Nishio T
- Salamini F → Leister D
- Salas A → del Rio AH
- Salesses G → Lecouls AC
- Sane AP, Seth P, Ranade SA, Nath P, Sane PV: RAPD analysis of isolated mitochondrial DNA reveals heterogeneity in elite *wild abortive* (WA) cytoplasm in rice 1098
- Sane PV → Sane AP
- Sasaki T → Taguchi-Shiobara F
- Sasaki T → Yano M
- Sathish P, Gamborg OL, Nabors MW: Establishment of stable NaCl-resistant rice plant lines from anther culture: distribution pattern of K^+/Na^+ in callus and plant cells 1203
- Sathyanarayanan PV → Mohan M
- Savolainen O → Kuittinen H
- Schaeffer GW, Sharpe FT: Electrophoretic profiles and amino acid composition of rice endosperm proteins of a mutant with enhanced lysine and total protein after backcrosses for germplasm improvements 230
- Schiemann A → Bauer E
- Schmidt J → Roth R
- Schondelmaier J, Jung C: Chromosomal assignment of the nine linkage groups of sugar beet (*Beta vulgaris* L.) using primary trisomics 590
- Schut JW, Qi X, Stam P: Association between relationship measures based on AFLP markers, pedigree data and morphological traits in barley 1161
- Scienza A → Geuna F
- Sedgley M → Maguire TL
- Senior ML → Smith JSC
- Seth P → Sane AP
- Sharon D, Cregan PB, Mhameed S, Kusharska M, Hillel J, Lahav E, Lavi U: An integrated genetic linkage map of avocado 911
- Sharpe FT → Schaeffer GW
- Shaw DV: Trait mean depression for second-generation inbred strawberry populations with and without parent selection 261
- Shelton BA → Yen HC
- Shi CH, Zhu J, Zang RC, Chen GL: Genetic and heterosis analysis for cooking quality traits of *indica* rice in different environments 294
- Shinoda K → Dubouzet JG
- Shishido R → Fukui K
- Shu H → Smith JSC
- Sillanpää MJ → Kuittinen H
- Simeone M → D'Ovidio R
- Singh DP → Verulkar SB
- Singh KB, Ocampo B: Exploitation of wild *Cicer* species for yield improvement in chickpea 418
- Singh M, Ceccarelli S, Grando S: Precision of the genotypic correlation estimated from variety trials conducted in incomplete block designs 1044
- Singh S → Huang N
- Sirithorn P → Wongkaew P
- Sköt L → Giddings G
- Skroch PW → Spooner DM
- Slee MU → Emebiri LC
- Smalla K → Nielsen KM
- Smith JSC, Chin ECL, Shu H, Smith OS, Wall SJ, Senior ML, Mitchell SE, Kresovich S, Ziegler J: An evaluation of the utility of SSR loci as molecular markers in maize (*Zea mays* L.): comparisons with data from RFLPS and pedigree 163
- Smith OS → Smith JSC
- Snape JW → Galiba G
- Snow AA → Whitton J
- Snowdon RJ, Köhler W, Friedt W, Köhler A: Genomic in situ hybridization in *Brassica* amphidiploids and interspecific hybrids 1320
- Somers DJ → Bebeli PJ
- Somers DJ → Zhou Z
- Spooner DM, Ugarte ML, Skroch PW: Species boundaries and interrelationships of two closely related sympatric diploid wild potato species, *Solanum astleyi* and *S. boliviense*, based on RAPDs 764
- Srivastava MN → Mohan M
- Stam P → Schut JW
- Stiekema WJ → Metz PLJ
- Subudhi P → Yang D
- Sun GL, Fahima T, Korol AB, Turpeinen T, Grama A, Ronin YI, Nevo E: Identification of molecular markers linked to the *Yr15* stripe rust resistance gene of wheat originated in wild emmer wheat, *Triticum dicoccoides* 622
- Sun M → Chan KF
- Sunseri F → Arpaia S
- Sutka J → Galiba G
- Taguchi-Shiobara F → Komatsuda T
- Taguchi-Shiobara F, Lin SY, Tanno K, Komatsuda T, Yano M, Sasaki T, Oka S: Mapping quantitative trait loci associated with regeneration ability of seed callus in rice, *Oryza sativa* L. 828
- Takagi Y → Rahman SM
- Takaiwa F → Komatsuda T
- Tamhankar SA → Rajebhosale MD

- Tamulonis JP, Luzzi BM, Hussey RS, Parrott WA, Boerma HR: DNA marker analysis of loci conferring resistance to peanut root-knot nematode in soybean 664
- Tanguy X → Chèvre AM
- Tanksley SD → Chunwongse J
- Tanksley SD → Fulton TM
- Tanno K → Taguchi-Shiobara F
- Taramino G, Tarchini R, Ferrario S, Lee M, Pe' ME: Characterization and mapping of simple sequence repeats (SSRs) in *Sorghum bicolor* 66
- Tarchini R → Taramino G
- Tauer CG → Raja RG
- Temnykh S → Chen X
- Thelen H → Leister D
- Thomas CE → Wang Y-H
- Timmerman-Vaughan GM → Gilpin BJ
- Tingey S → Cerna FJ
- Tinnangwattana T → Wongkaew P
- Tohme J → Fregene M
- Tohme J → Roa AC
- Tomos AD → Price AH
- Tourvieille de Labrouhe D → Vear F
- Tuinstra MR, Ejeta G, Goldsbrough PB: Heterogeneous inbred family (HIF) analysis: a method for developing near-isogenic lines that differ at quantitative trait loci 1005
- Tulsieram L → Cheung WY
- Turpeinen T → Sun GL
- Ugarte ML → Spooner DM
- Uhlig J → Fulton TM
- Ullah Z → Kabelka E
- Ullrich SE → Han F
- Ur-Rahman H, James DJ, Hadonou AM, Caligari PDS: The use of RAPD for verifying the apomictic status of seedlings of *Malus* species 1080
- Vales MI → Revilla P
- van Norel A → Janssen GJW
- Vanhouten W → Jia MH
- Vázquez JF → Nieto-Taladriz MT
- Vear F, Gentzbittel I, Philippon J, Mouzeyar S, Mestries E, Roeckel-Drevet P, Tourvieille de Labrouhe D, Nicolas P: The genetics of resistance to five races of downy mildew (*Plasmopara halstedii*) in sunflower (*Helianthus annuus* L.) 584
- Vedel F → Chagué V
- Vega SE → del Rio AH
- Vendramin GG → Bucci G
- Verhaegen D, Plomion C, Gion JM, Poitel M, Costa P, Kremer A: Quantitative trait dissection analysis in *Eucalyptus* using RAPD markers: 1. Detection of QTL in interspecific hybrid progeny, stability of QTL expression across different ages 597
- Verkerk-Bakker B → Janssen GJW
- Verulkar SB, Singh DP, Bhattacharya AK: Inheritance of resistance to podfly and podborer in the interspecific cross of pigeonpea 506
- Vicario F → Bucci G
- Vincourt P → Rebai A
- Vinke H → Rouppe van der Voort J
- Virk DS → Price AH
- Vischi M, Marchetti S: Strong extracellular nuclease activity displayed by barley (*Hordeum vulgare* L.) uninucleate microspores 185
- Voisin R → Lecouls AC
- Voylovkov A → Korzun V
- Vrebalov J → Yen HC
- Waara S → Nyman M
- Waara S → Rasmussen JO
- Wall SJ → Smith JSC
- Wang G → Yang D
- Wang J → Li HB
- Wang J → Liu KD
- Wang SL → Qi LL
- Wang Y-H, Thomas CE, Dean RA: A genetic map of melon (*Cucumis melo* L.) based on amplified fragment length polymorphism (AFLP) markers 791
- Wathelet B → Maquet A
- Waugh R → Russell JR
- Wendel JF → Cronn R
- Wenzel G → Michalek W
- Wesenberg DM → Han F
- Westin J → Zheng YQ
- Weyen J → Bauer E
- White DWR → Hussain SW
- Whitton J, Wolf DE, Arias DM, Snow AA, Rieseberg LH: The persistence of cultivar alleles in wild populations of sunflowers five generations after hybridization 33
- Williams ER → Byrne M
- Williams WM → Hussain SW
- Wittwer RF → Raja RG
- Wolf DE → Whitton J
- Wolters P → Rouppe van der Voort J
- Wongkaew P, Hanboonsong Y, Sirithorn P, Choosai C, Boonkrong S, Tinnangwattana T, Kitchareonpanya R, Damak S: Differentiation of phytoplasmas associated with sugarcane and gramineous weed white leaf disease and sugarcane grassy shoot disease by RFLP and sequencing 660
- Xu CG → Liu KD
- Xu CG → Zhang Q
- Xu Y → Chen X
- Yamashita S → Kishima Y
- Yang D, Parco A, Nandi S, Subudhi P, Zhu Y, Wang G, Huang N: Construction of a bacterial artificial chromosome (BAC) library and identification of overlapping BAC clones with chromosome 4-specific RFLP markers in rice 1147
- Yang GP → Zhang Q
- Yano M, Harushima Y, Nagamura Y, Kurata N, Minobe Y, Sasaki T: Identification of quantitative trait loci controlling heading date in rice using a high-density linkage map 1025
- Yano M → Taguchi-Shiobara F
- Yen HC, Shelton BA, Howard LR, Lee S, Vrebalov J, Giovannoni JJ: The tomato *high-pigment* (*hp*) locus maps to chromosome 2 and influences plastome copy number and fruit quality 1069
- Yen Y → Lee J-H
- Yoneda Y → Hisatomi Y
- Zabel P → Liharska TB
- Zamir D → Fulton TM
- Zandvoort van P → Rouppe van der Voort J
- Zang RC → Shi CH
- Zeller FJ → Huang X Q
- Zhang G → Huang N
- Zhang Q → Li HB
- Zhang Q → Liu KD
- Zhang Q, Liu KD, Yang GP, Saghai Maroof MA, Xu CG, Zhou ZQ: Molecular marker diversity and hybrid sterility in indica-japonica rice crosses 112
- Zheng K-L → Zhuang J-Y
- Zheng YQ, Lindgren D, Rosvall O, Westin J: Combining genetic gain and diversity by considering average coancestry in clonal selection of Norway spruce 1312
- Zhou Z → Bebeli PJ
- Zhou Z, Bebeli PJ, Somers DJ, Gustafson JP: Direct amplification of minisatellite-region DNA with VNTR core sequences in the genus *Oryza* 942
- Zhou ZQ → Zhang Q
- Zhu J → Shi CH
- Zhu Y → Yang D
- Zhuang J-Y, Lin H-X, Lu J, Qian H-R, Hittalmani S, Huang N, Zheng K-L: Analysis of QTL×environment interaction for yield components and plant height in rice 799
- Ziegle J → Smith JSC
- Zivy M → David JL
- Zoro Bi I → Maquet A
- Zou JS → Li HB

Acknowledgements

The editors wish to thank the following referees for their assistance and evaluation of manuscripts submitted

- | | | |
|--|--------------------------------------|------------------------------------|
| S. B. Altenbach (Albany, USA) | B. Foroughi-Wehr (Grünbach, Germany) | D. J. MacKill (Davis, USA) |
| K. Armstrong (Ottawa, Canada) | U. Frei (Freising, Germany) | C. Marakoff (Oxford, USA) |
| G. Backes (Freising, Germany) | W. Friedt (Gießen, Germany) | T. McKnight (College Station, USA) |
| D. Bartels (Köln, Germany) | M. Gale (Norwich, UK) | T. Miedaner (Stuttgart, Germany) |
| H. S. Baryana, (Camden, Australia) | C. Gebhardt (Köln, Germany) | P. Miklas (Prosser, USA) |
| U. Bellin (Berlin, Germany) | A. Gierl (Garching, Germany) | G. A. Moore (Gainesville, USA) |
| J. L. Bennetzen (West Lafayette, USA) | W. Grüneberg (Göttingen, Germany) | J. Myers (Corvallis, USA) |
| J. A. Bietz (Peoria, USA) | W. Hanna (Tifton, USA) | D. B. Neale (Berkeley, USA) |
| T. Blake (Montana State University, USA) | M. J. Havey (Madison, USA) | C. Nelson (Ithaca, USA) |
| A. Blechl (Albany, USA) | J. G. Hawkes (Birmingham, UK) | A. Paterson (College Station, USA) |
| N. Borysjuk (New Brunswick, USA) | C. Hedgcoth (Manhattan, USA) | A. Pepper (College Station, USA) |
| A. H. D. Brown (Oslo, Norway) | J. P. Helgeson (Madison, USA) | N. Pogrebnyak (Princeton, USA) |
| C. L. Brubaker (Canberra, Australia) | D. L. Hoffmann (Aberdeen, USA) | W. Powell (Dundee, UK) |
| B. Burson (College Station, USA) | N. Huang (Los Banos, Philippines) | M. Querci (Lima, Peru) |
| M. Capperdocia (Montreal, Canada) | A. Jahoor (Freising, Germany) | L. Rieseberg (Bloomington, USA) |
| D. Chen (Davis, USA) | N. G. K. Jones (Harpenden, USA) | F. J. Seitzer (Einbeck, Germany) |
| A. E. Clarke (Parkville, Australia) | D. B. Jones (Madison, USA) | M. Sigareva (Ithaca, USA) |
| E. H. Coe (Columbia, USA) | S. Kaeppler (Madison, USA) | C. Simon (Grünbach, Germany) |
| D. de Vienne (Bordeaux, France) | J. Kelly (East Lansing, USA) | P. H. Sisco (Raleigh, USA) |
| P. B. Cregan (Beltsville, USA) | S. J. Knapp (Corvallis, USA) | C. Smith (Guelph, Canada) |
| K. Devos (Norwich, UK) | W. Köhler (Gießen, Germany) | C. W. Stuber (Raleigh, USA) |
| R. L. Doudrick (Saucier, USA) | M. P. Kubisiak (Rochester, USA) | K. Suzuki (Tokio, Japan) |
| D. N. Duvick (Johnston, USA) | G. S. Khush (Los Banos, Philippines) | R. Tarchini (Milano, Italy) |
| J. Dvorak (Davis, USA) | L. M. Lagrimini (Columbus, USA) | N. Weeden (Geneva, USA) |
| W. Ecke (Göttingen, Germany) | F. Léon (Bonn, Germany) | H. VanTang (Gainesville, USA) |
| N. Ellis (St. Lucia, Australia) | R. F. Line (Pullman, USA) | T. Wehner (Raleigh, USA) |
| M. Edney (Winnipeg, USA) | W. Link (Göttingen, Germany) | J. F. Wendel (Ames, USA) |
| M. Foolad (Penn University Park, USA) | A. Lukaszewski (Riverside, USA) | Y. Yen (Brookings, USA) |
| G. Forbes (Quito, Ecuador) | G. Lookhart (Manhattan, USA) | F. J. Zeller (Freising, Germany) |

as well as the assistance of Mrs. Ritta Wehrer at the editorial office.